Meeting Minutes Transmittai/Approval
Unit Managers' Meeting
200 Area Groundwater and Source Operable Units
3350 George Washington Way, Richland, Washington
June 1999

APPROVAL:	Bryan Foley, 200 Area Unit Manager, RL (H0-12)	_ Date .	01/21/00
APPROVAL:	Jack Donnelly, 290 Area Unit Manager, Ecology (B5-18)	_ Date _	
APPROVAL:	Dennis Faulk, 200 Area Unit Manager, EPA (B5-01)	Date L	7-28-00
APPROVAL:	Arlene Tortoso, Groundwater Unit Manager, RI. (H0-12)	_ Date _	



Meeting minutes are attached. Minutes are comprised of the following:

Attachment 1 - Agenda

Attachment 2 - Attendance Record

Attachment 3 - 300 Area UMM Minutes - June 1999

Attachment 4 - Status Brief on Monitoring Activities Related to the 216-A-29 Ditch

Prepared by:

Amy J. Jones (Hight)/Chice Brewster

Concurrence by:

Date

Date

Michael Graham, BHI Groundwater/Vadose Zone Integration (H0-09)

078809

UNIT MANAGERS' MEETING AGENDA

3350 George Washington Way, Room 2A01 June 17, 1999

10:00 a. m. 200 Area

- Overview 200 Area RCRA Groundwater Monitoring
- 200 Area RI/FS Implementation Plan
- 200-CW-1 Gable Mountain/B Pond and Ditches
- 200-CS-1 Chemical Sewer Waste Group
- DWP Planning and Scope of Work for FY2000
- 200-BP-1 Operable Unit

Remedial Action and Waste Disposal Unit Managers' Meeting Official Attendance Record – 200 Areas June 17, 1999

Please print clearly and use black ink

PRINTED NAME	ORGANIZATION	O.U. ROLE	TELEPHONE
Dujan L. Frey	DOE-RI	200 UM	376-7037
Stuart P. Luttrell	PIUNL	Groundwaten	3.76-6023
MMN SWOKNOY	PANE	GROWNER TOR	373-0707
Curt Withreich	ERC	200 A tech Talks	1 372-9586
Janel Badden	CHI	200CSI Tasklon	372-9698
Mary E. Todal	CHI	200-CW-1 Tax bed	312-9030
Zelma Jackson	Ecology		736-3024
JACK Donnelly	Ecolory	, , , , , , , , , , , , , , , , , , ,	509-736-3013
MARY FURMAN	Da	- [.	373-9630
BENCE WILLIAMS	ANN C	GOODDNANER	509-371-2798
		•	

MEETING MINUTES 200 AREA GROUNDWATER AND SOURCE OPERABLE UNITS UNIT MANAGERS' MEETING June 17, 1999

Attendees: See Attachment #2

Agenda: See Attachment #1

Topics of Discussion:

- 1. Overview 200 Area RCRA Groundwater Monitoring A status brief on monitoring activities related to the 216-A-29 Ditch was provided (Attachment #4). The information in the handout was summarized in a brief presentation. Ecology suggested that the OU work plans be used to document the current RCRA TSD groundwater monitoring program and path forward. Work Plan schedules drive the process to reaching a final status for groundwater monitoring. Ecology requested that the next Unit Manager's Meeting agenda include a discussion on groundwater closure strategy and the process for changing groundwater monitoring plans.
- 2. <u>200 Area RI/FS Implementation Plan</u> ~ RL inquired about the status of an approval letter for the 200 Area RI/FS Implementation Plan. Ecology replied that the letter has been signed and will be transmitted to RL shortly.
- 3. 200-CW-1 Gable Mountain/B Pond and Ditches RL has received Ecology's comments on the Work Plan for 200-CW-1. RL requested a comment resolution session with Ecology. The meeting was set tentatively for June 22, 1999. The Public Review Schedule for the Work Plan is currently targeted to begin after July 6, 1999.

4. 200-CS-1 Chemical Sewer Waste Group

- Status DQO Summary Report and Work Plan The DQO Summary Report and Work Plan for 200-CS-1 is being revised. It was discussed that one additional sample location at the historical high table elevation will be added to the scope. The report will be redlined and submitted to Ecology. Ecology can expect to receive the report within a week.
- Integration of Planned 200-CS-1 Vadose Boreholes and RCRA Groundwater Monitor Well Installation at S Pond RL inquired into Ecology's willingness to make schedule adjustments to accommodate the integration of 200-CS-1 borehole characterization needs and RCRA well installation needs at S-Pond. RL noted that integration would be more efficient than drilling the borehole and the well separately, saving both money and labor. Discussed collecting deep 200-CS-1 samples via the RCRA groundwater well located outside the waste site and replace the 200-CS-1 vadose borehole inside the waste site with a test pit to collect shallow samples. Ecology agreed but prefers not to extend the relevant RCRA well installation milestone, which extends to February 2000. RL will attempt to perform the integration within the current schedule.

- 5. <u>DWP Planning and Scope of Work for FY2000</u> RL requested a meeting with Ecology and EPA to discuss the DWP and Scope of Work for FY2000. The meeting was tentatively set for June 29, 1999.
- 6. <u>200-BP-1 Operable Unit</u> The Treatability Test Report is currently being sent through RL and should be expected at Ecology soon.

Status brief on monitoring activities related to the 216-A-29 Ditch

Operational Characteristics

Operated from 1955 to 1991

Received waste from PUREX via the chemical sewer line (CSL)

Approximately 1100 m long and 1-5 m in depth

Source stream to the 216-B-3 Pond System with the head end approximately 300 m east of the perimeter fence near PUREX, and discharge end at the 216-B-3-3 Ditch

Interim stabilization occurred in the fall of 1991

Waste Stream (Table 1 - Sources; Table 2 - Known Hazardous Discharges)

Flow rates from the CSL varied from approximately 400 to 5000 L/min with an average flow of ~2000 L/min

Liquid effluent contained hazardous waste from spills, intentional chemical disposal, and routine discharges from a demineralizer regeneration system

Daily hazardous waste discharges continued until February 1986

Liquid effluent also contained non-hazardous condensate, cooling water, and steam quench water

Largest hazardous components (volumetric) discharged were sodium hydroxide and sulfuric acid

Administrative and physical controls implemented in 1984 to avoid hazardous discharges

Hydrogeology

Principal sediment types are sand and sandy-gravel units of the Hanford formation

Vadose is dominantly coarse-grained at the head end, finer at the discharge

Groundwater flows ~235° at 0.03-0.09 m/d

Conceptual model indicates that significant infiltration occurs primarily in the area nearest the head end

Highest contaminant transport is likely to be in the head end area

Monitoring Program

Began indicator parameter sampling in late 1989

Monitoring suspended from June 1990 to early 1991 because of analytical contract difficulties

Statistical evaluation in 1990 confirmed specific conductivity exceedance

Groundwater assessment began in 1990 and assessment report was issued in 1995

Assessment report identified elevated sulfate, sodium, and calcium as the cause of specific conductivity exceedance

Site reverted back to detection monitoring in 1995 and continues to present

Monitoring include semiannual sampling for indicator parameters, and annual sampling for tritium, alkalinity, anions, and ICP metals

Monitoring network includes 10 wells, two upgradient near B Pond and 8 downgradient along the length of the facility

Results

No further exceedances have been reported since 1995

Update to the groundwater monitoring plan will include current PNNL sampling and QC practices

PUREX Chemical Sewer Line Sources. (a) Table

Waste stream	Source		
Floor, funnel, shower, sink, and drinking fountain drain (b)	Aqueous makeup area, battery room, 216-A-211 Building (A-211), process blower room, various service rooms (compressor room, etc.)		
Steam condensate	TK-618-1 flash tank, acid fractionator, R-cell evaporative cooling tower, various Service rooms		
Tank overflow and drain effluent	Pipe and operating gallery, aqueous makeup area, A-211 tank farm, (c) TK-120, -21, -30, -50, and -618-2 tanks		
Demineralizer recharge ^(d)	A-211 Building		
Electric water cooler effluent	Process blower room, two other service rooms		
Welding quench tank drain effluent	Instrument and maintenance shops		
Sanitary water	R-cell evaporative cooling tower spray wash		
Pipe shaft sump/pipe trench effluent	Aqueous makeup area, A-211 Building		
Cooling water	Acid fractionator		

⁽a)

Effluents from the anion and cation units are co-neutralized before discharge.

From DOE 1987.
Flow drains in the pipe and operating gallery are routed to the chemical sewer for short periods during safety shower checks and floor washes.


⁽c) Secondary containment diking has been installed around tanks in the A-211 tank farm to minimize overflow discharge into the PUREX CSL.

Table 2. Known Hazardous Discharges to 216-A-29 Ditch.

Waste Constituents	Date	Description Characteristic (corrosive)	
Demineralizer regenerant	1955 to February 1986		
Aqueous makeup tank heels and off-specification batches	1955 to October 1984	Characteristic (corrosive and EP ^(a) toxic)	
N-Cell prestart testing (oxalic acid, nitric acid, hydrogen peroxide, calcium nitrate)	April 11, 1983 to August 7, 1983	Characteristic (corrosive)	
Potassium permanganate, sodium carbonate solution	October 19, 1983	CERCLA-reportable release(5)	
Hydrazine HN solution	June 6, 1984 September 13, 1984 to October 2, 1984	CERCLA-reportable release	
Potassium hydroxide	December 2, 1984	CERCLA-reportable release	
Nitric acid	August 22, 1984 January 18, 1985 May 27, 1985 June 25, 1985 October 28, 1985	CERCLA-reportable release	
Sodium hydroxide	February 26, 1984 November 19, 1984 August 6, 1985	CERCLA-reportable release	
Cadmium nitrate	May 16, 1984 December 18, 1985	CERCLA-reportable release	
Hydrazine	July 9, 1986	CERCLA-reportable release	

⁽b) Extraction procedure.
(b) Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA).

.








Figure 5.1. Conceptual Model of Effluent Infiltration Within a Ditch/Pond System (after DOE-RL 1994)

SP98030099.5





00

DISTRIBUTION UNIT MANGERS' MEETING 200 AREA GROUNDWATER AND SOURCE OPERABLE UNITS

Bryan Foley	DOE-RL RP (A5-13) DOE-RL EAP (A2-15) DOE-RL RP (A5-13) DOE-RL RP (H0-12) DOE-HQ (EM-442)
	EFA (D5-01)
Zelma Maine Wayne Soper Ted Wooley	WDOE (Kennewick) (B5-18)
Chloe Brewster	BHI (H0-19)
Garrett Day	BHI (H0-19)
Linda Deitz	BHI (H0-20)
Bruce Ford	BHI (H0-19)
Michael Graham	BHI (H0-09)
George Henckel	BHI (H0-19)
Greg Mitchem	BHI (H0-21)
Tim Lee	CHI (H9-02)
Virginia Rohay	CHI (H0-19)
L. Craig Swanson	CHI (H9-02)
Mary Todd	CHI (H9-03)
Curtis Wittreich	CHI (H9-03)
Stuart Luttrell	DNNI (Ke ne)
Mark Sweeney	PNNI (KG-94)
	1414F (UO-01)

Please inform Chloe Brewster – BHI (372-9377) of deletions or additions to the distribution list.